

FARM MACHINERY

Domries


SINCE 1924

STEEL FABRICATION

**SUPER
SXL&SX**

TANDEM DISC HARROW

**SXL
& SX
SERIES**




SX 745

DOMRIES ENTERPRISES, INC.
12281 Road 29
Madera, California
Phone (559) 673-9143
Fax (559) 673-4110
<http://www.domriesentinc.com>



The Deluxe Disc


Domries



NO BOLTS TO WIDEN OR SET GANG ANGLE. JUST PULL A PIN AND SET. SETTING WILL NEVER SLIP.



TRUNION TYPE BEARING WITH WEAR PLATE AND HEAVY CAST IRON SPACER.



ADD-A-BLADE WASHER FOR BLADE EXTENSION. HEAVY 1 1/2" SQ. GANG BOLT ON SX MODEL.

OPTIONS

- BLADE CLEANERS
- BLADE EXTENSIONS
- BLADE SIZES
- BLADE EDGES
- DIRT DEFLECTORS
- UTILITY HITCH
- TOOL BAR BRACKETS
- DRAG BRACKETS
- DURA FACED BLADES
- CAT. #1 & 2 "A" FRAME FOR SXL



- CATEGORY #1 & #2 "A" FRAME.
- CENTER SHANK ALSO HAS A POCKET IN THE MAIN FRAME
- NOTE QUICK DETACHABLE "A" FRAME.

REVERSABLE WINN

SX & SXL

15

MACHINE

AND

BLADE

COMBINATIONS

SX	STANDARD FEATURES	SXL
	1 1/8" SQUARE GANG RODS	X
X	1 1/2" SQUARE GANG RODS	
	24" 7 GA. SMOOTH BLADES	X
X	24" 6 GA. SMOOTH BLADES	
X	TRIPLE SEALED BALL BEARINGS	X
X	WEAR PLATES ON BEARING HOUSINGS	X
	CATEGORY #1 "A" FRAME	X
X	CATEGORY #1 AND 2 "A" FRAME	
	9" HEAVY DUTY CAST IRON SPACERS	X
X	9" EXTRA HEAVY DUTY CAST IRON SPACERS	
X	CENTER SHANK	X
X	GANG ANGLE SETTING WITH PULL PINS	X
X	TRUNION SELF ALIGNING BEARING HOUSINGS	X
X	3 X 3 TUBE, ELECTRIC WELDED "A" FRAME	X
X	A REVERSABLE DISC AND FLAT FURROWER	X
X	ADD-A-BLADE EXTENSION WASHERS	X
X	TUBULAR FRAME CONSTRUCTION	X
X	12° TO 24° CUTTING ANGLE	X
X	SHROUDED GANG FRAMES	X

24

MACHINE

AND

BLADE


COMBINATIONS

BUILT FOR STRENGTH , SPEED & PERFORMANCE
ALL 3 SETTINGS WITH NO TOOLS

Normal Discing

Reverse Discing

Flat Furrowing



MEYARD TANDEM

SPECIFICATIONS

SXL

SEE PRICE SHEET FOR 24 BLADE SIZE AND EDGE COMBINATIONS

MODEL NO.	WIDE AND NARROW CUT OF REAR GANGS	NUMBER OF BLADES			*BLADE SIZE	BLADE EDGE		+ CAT. A FRAME	GANG RODS	APPROX. WT. LBS.
		TOTAL	FRONT	REAR		FRONT	REAR			
SXL-402	6'6"to7'7"	16	8	8	24"x7GA.	S	S	#1	11/8"SQ.	1720
SXL-452	7'1"to9'1"	18	8	10	24"x7GA.	S	S	#1	11/8"SQ.	1820
SXL-502	7'1"to9'1"	20	10	10	24"x7GA.	S	S	#1	11/8"SQ.	1925
SXL-602	8'7"to10'7"	24	12	12	24"x7GA.	S	S	#1	11/8"SQ.	2125

*SEE PRICE SHEET FOR 22" NOTCHED AND SMOOTH COMBINATIONS.

+SEE PRICE SHEET FOR "A" FRAME OPTION.

SPECIFICATIONS

SX

SEE PRICE SHEET FOR 15 BLADE SIZE AND EDGE COMBINATIONS

MODEL NO.	WIDE AND NARROW CUT OF REAR GANGS	NUMBER OF BLADES			*BLADE SIZE	BLADE EDGE		+ CAT. A FRAME	GANG RODS	APPROX. WT. LBS.
		TOTAL	FRONT	REAR		FRONT	REAR			
SX-744	6'6"to7'7"	16	8	8	24"x6GA.	S	S	#1 & 2	11/2"SQ.	1945
SX -745	7'1 " to 9'1"	18	8	10	24 " x 6 GA.	S	S	#1 & 2	1 1/2" SQ.	2055
SX-755	7'1"to9'1"	20	10	10	24"x6GA.	S	S	#1 & 2	11/2"SQ.	2165
SX-756	8'7"to10'7"	22	10	12	24"x6GA.	S	S	#1 & 2	11/2"SQ.	2275
SX-766	8'7"to 10'7"	24	12	12	24"x6GA.	S	S	#1 & 2	11/2"SQ.	2385

*SEE PRICE SHEET FOR 24" NOTCHED AND SMOOTH COMBINATIONS.

+SEE PRICE SHEET FOR "A" FRAME OPTION.



DOMRIES ENTERPRISES, INC.


12281 Road 29

Madera, California 93638

Phone (559) 673-9143 .FAX (559) 673-4110

Visit our website @ <http://www.domriesentinc.com>

SOLD BY



FARM MACHINERY

Domries

SINCE 1924

STEEL FABRICATION

CLOD CRUSHER

**SERIES
MCC**

**MOUNTED CLOD
CRUSHERS
ATTACHMENT
SX-SXL-SN, 3 pts.**

MCC
SERIES



SX-MSCC-700

DOMRIES ENTERPRISES, INC.
12281 Road 29
Madera, California
Phone (559) 673-9143
Fax (559) 673-4110
<http://www.domriesentinc.com>



MOUNTED CLOD CRUSHERS

STEEL DRUM CLOD CRUSHER or CAST RING CLOD CRUSHER



Steel Drum Clod Crusher


SX, SXL

7'0" 7'6" 8'0" 8'6"

SN

3'0" to 7'6"

- ★ 1 1/2 square Triple Seal Ball Bearing
- ★ Trunion Mounted Easy To Replace Bearings, 12" Drum Segments and Ring
- ★ Bearing Wear Guards
- ★ Ready To Mount SX, SXL, and SN 3 point



Cast Ring Clod Crusher

SX, SXL

7'0" 7'6" 8'0" 8'6"

SN

3'0" to 7'6"



DOMRIES ENTERPRISES, INC.

12281 Road 29

Madera, California 93638

Phone (559) 673-9143 .FAX (559) 673-4110

Visit our website @ <http://www.domriesentinc.com>

SOLD BY

